

Alberta

Alberta Environmental Protection. 1994. Bats of Alberta; “the real story...”. Alberta Environmental Protection, Alberta Agriculture, Food and Rural Development, 16 pp.

[\[http://www3.gov.ab.ca/srd/fw/bats/index.html\]](http://www3.gov.ab.ca/srd/fw/bats/index.html)

Alberta Sustainable Resource Development. 2000. The general status of Alberta Wild species 2000. Alberta Sustainable Resource Development, Fish and Wildlife Service, Pub No. 1/023. 56 pp.

[\[www.gov.ab.ca/env/fw/status/index.html\]](http://www.gov.ab.ca/env/fw/status/index.html)

Alsager, D.E. and E. Ewaschuk. 1971. About bats. Alberta Department of Agriculture, 7 pp.

Anonymous. Circa 1960. Cadomin caves explored. Alberta Lands, Forests and Wildlife 2:12-15.

Banfield, A.W.F. 1947. The mammals of Waterton Lakes National Park, Alberta. Can. Wildl. Serv. , Wildl. Manage. Bull. Ser 1. No. 1. 43pp.

Banfield, A.W.F. 1958. The mammals of Banff National Park, Alberta. Nat. Mus. Can. Bull. No. 159, 53 pp.

Barclay, R.M.R. 1991. Population structure of temperate zone insectivorous bats in relation to foraging behaviour and energy demand. Journal of Animal Ecology 60:165-178.

Barclay, R.M.R. 1993. The biology of prairie bats. **In:** Proceedings of the Third Prairie Conservation and Endangered Species Workshop. (G.L. Holroyd et al., eds.). Natural History Occasional Paper #19, Provincial Museum of Alberta, pp. 353-357.

Barclay, R.M.R., Dolan, A-M., and A. Dyck. 1991. The digestive efficiency of insectivorous bats. Canadian Journal of Zoology 69:1853-1856.

Barclay, R.M.R., M.C. Kalcounis, L.C. Crampton, C.L. Stefan, M.J. Vonhof, L.C. Wilkinson, and R.M. Brigham. 1996. Can external radio-transmitters be used to measure body temperature and torpor use in bats? Journal of Mammalogy 77:1102-1106.

Barclay, R.M.R., Lausen, C.L. and L. Hollis. 2001. What’s hot and what’s not: defining torpor in free-ranging birds and mammals. Canadian Journal of Zoology 79:1885-1890.

Barclay, R.M.R., J. Ulmer, C.J.A. MacKenzie, M.S. Thompson, L. Olson, J. McCool, E. Cropley and G. Poll. 2004. Variation in the reproductive rate of bats. Can. J. Zool. 82: 688-693.

Brigham, R.M. and M.B. Saunders. 1990. Diet of big brown bats (*Eptesicus fuscus*) in relation to insect availability in southern Alberta, Canada. Northwest Science 64:7-10.

Bryant, H. ? The bats of Alberta. Alberta Naturalist 24:48

Caceres, M.C. and R.M.R. Barclay. 2000. *Myotis septentrionalis*. Mammalian Species 634:1-4.

Caceres, M.C. and M.J. Pybus. 1997. Status of the northern long-eared bat (*Myotis septentrionalis*) in Alberta. Alberta Environmental Protection, Wildlife Management Division, Wildlife Status Report No. 3. Edmonton, AB. 19 pp.

Chruszcz, B. 1999. Foraging and thermoregulatory behaviour of the long-eared bat (*Myotis evotis*) roosting in natural habitat. MSc. Thesis, University of Calgary, Calgary, AB.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

- Chruszcz, B.J. and R.M.R. Barclay. 2002. Thermoregulatory ecology of a solitary bat, *Myotis evotis*, roosting in rock crevices. *Functional Ecology* 16:18-26.
- Chruszcz, B.J. and R.M.R. Barclay. 2003. Prolonged foraging bouts of a solitary gleaning/hawking bat, *Myotis evotis*. *Canadian Journal of Zoology*. 81: 823-826.
- CNRL (Canadian Natural Resources Limited). 2002. Horizon Oil Sands Project - Application for Approval. Volume 1 Prepared by Canadian Natural Resources Limited. Volumes 2, 3, 4, 5, 6, 7 and 8 Prepared by Golder Associates Ltd. for Canadian Natural Resources Limited. Calgary, AB. June 2002.
- Collister, D. and C. Hunt. 1990. Encounter with a small-footed bat (*Myotis ciliolabrum*) in the foothills of southwestern Alberta. *Alberta Naturalist* 20:105-106.
- Crampton, L.H. 1993. Bat abundance and activity in stands of different seral stages in Alberta mixed-wood forest. *Bat Research News* 34:105.
- Crampton, L. 1995. Habitat selection by bats and the potential impacts of forest fragmentation on bat populations in aspen mixedwood forests in Northern Alberta. M.Sc. thesis, University of Calgary, Calgary AB, 114 pp.
- Crampton, L. and R.M.R. Barclay. 1995. Relationships between bats and stand age and structure in aspen mixedwood forests in Alberta. **In:** Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. (J.B. Stelfox, ed.). Alberta Environmental Centre and Canadian Forest Service, Edmonton, pp. 211-225.
- Crampton, L. and R.M.R. Barclay. 1996. Habitat selection by bats in fragmented and unfragmented aspen mixedwood stands of different ages. **In:** Bats and Forests Symposium: 19-21 October, 1995, Victoria, B.C., Canada (R.M.R. Barclay and R.M. Brigham, eds.). Research Branch, B.C., Ministry of Forests, Working Paper 23/1996. Pp. 238-359.
- Crampton, L.C. and R.M.R. Barclay. 1998. Selection of roosting and foraging habitat by bats in different-aged aspen mixedwood stands. *Conservation Biology* 12:1347-1358.
- Crowe, P.E. 1943. Notes on some mammals of the southern Canadian Rockies. *Bull. Am. Mus. Nat. Hist.* 80: 391-410.
- Dorward, W., Schowalter, D.B., and J. Gunson. 1977. Preliminary studies of bat rabies in Alberta. *Canadian Veterinary Journal* 18:341-348.
- Engley, L. and M. Norton. 2001. Distribution of selected small mammals in Alberta. Alberta Sustainable Resource Development, Fish and Wildlife Service, Alberta Species at Risk Report No. 12. Edmonton, AB. 75 pp.
- Faure, P.A. 1990. The foraging behaviour and sensory basis of prey detection by the long-eared bat, *Myotis evotis*. M.Sc. thesis, University of Calgary, Calgary, Alberta, 105 pp.
- Faure, P.A. and R.M.R. Barclay. 1992. The sensory basis of prey detection by the long-eared bat (*Myotis evotis*). *Animal Behaviour* 44:31-39.
- Faure, P.A. and R.M.R. Barclay. 1994. Substrate-gleaning versus aerial-hawking: plasticity in the foraging and echolocation behavior of the long-eared bat, *Myotis evotis*. *Journal of Comparative Physiology. A.* 174:651-660.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

Faure, P.A., Fullard, J.H. and R.M.R. Barclay. 1990. The response of tympanate moths to the echolocation calls of a substrate gleaning bat, *Myotis evotis*. *Journal of Comparative Physiology A*. 166:843-849.

Fisher, J.T. and L. Wilkinson. 2005. The response of mammals to forest fire and timber harvest in the North American boreal forest. *Mammal Review* 35 (1), 51-81.

Grinevitch, L., S.L. Holroyd, and R.M.R. Barclay. 1995. Sex differences in the use of daily torpor and foraging time by big brown bats (*Eptesicus fuscus*) during the reproductive season. *Journal of Zoology (London)* 235:301-309.

Gunson, J.R. 1973. Preliminary population studies of bats in Alberta. Alberta Department of Lands and Forests. Fish and Wildlife Division. Progress Report, 30 pp.

Gunson, J.R. and D.B. Schowalter. 1975. About bats. Alberta Recreation, Parks and Wildlife, Fish and Wildlife Division, 8 pp.

Hamilton, I.M. 1996. The influence of developmental constraints on the diet and foraging behaviour of big brown bats (*Eptesicus fuscus*) in southeastern Alberta. M.Sc. thesis, University of Calgary, Calgary, AB, 136 pp.

Hamilton, I.M., and R.M.R. Barclay. 1994. Patterns of daily torpor and day roost selection by male and female big brown bats (*Eptesicus fuscus*). *Canadian Journal of Zoology* 72:744-749.

Hamilton, I.M. and R.M.R. Barclay. 1998a. Diets of juvenile, yearling, and adult big brown bats (*Eptesicus fuscus*) in southeastern Alberta. *Journal of Mammalogy* 79:764-771.

Hamilton, I.M. and R.M.R. Barclay. 1998b. Ontogenetic influences on foraging and mass accumulation by big brown bats (*Eptesicus fuscus*). *Journal of Animal Ecology* 67:930-940.

Harder, L.D. 1974. Rabies-related population studies of bats in Alberta. Alberta Department of Lands and Forests. Fish and Wildlife Division. Progress Report 38 pp.

Heinrich, R., M.Todd, B.Beck, R. Bonar, J. Beck, R. Quinlan. 1999. Hoary bat summer roosting habitat. Habitat Suitability Index Model Version 5. Foothills Model Forest Publications, Hinton, Alberta. 5 pp.

Hochachka, W.M. and C.S. Scharf. 1986. Black-billed magpie, *Pica pica*, predation on bats. *Canadian Field-Naturalist* 100:121-122.

Hogberg, L.K., Patriquin, K.J. and R.M.R. Barclay. 2002. Use by bats of patches of residual trees in logged areas of the boreal forest. *American Midland Naturalist* 148:282-288.

Hohn, E.O. 1979. Note on the small mammals of the Cooking Lake highlands, Alberta. *Blue Jay* 37:119-123.

Hollister, N. 1911. Four new mammals from the Canadian Rockies. *Smith. Inst. Misc. Coll.* 56:1-4.

Holloway, G.L. 1998. The ecology of prairie-dwelling bats in southeastern Alberta. M.Sc. thesis, University of Calgary, Calgary, AB.

Holloway, G.L. and R.M.R. Barclay. 2000. Importance of prairie riparian zones to bats in southeastern Alberta. *Ecoscience* 7:115-122.

Holloway, G.L. and R.M.R. Barclay. 2001. *Myotis ciliolabrum*. *Mammalian Species*. 670:1-5.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

- Holroyd, G.L. 1983. A brief survey of the bats of Elk Island National Park. *Blue Jay* 41(4):217-222.
- Holroyd, G.L. and E.G. Beaubien. 1983. Ring-billed gull, *Larus delawarensis*, predation on bat, *Myotis* injured by an American Kestrel, *Falco*. *Canadian Field-Naturalist* 97:452.
- Holroyd, S.L. 1993. Influences of some extrinsic and intrinsic factors on reproduction by big brown bats (*Eptesicus fuscus*) in southeastern Alberta. M.Sc. thesis, University of Calgary. 126 pp.
- Hubbs, A. and T. Schowalter. 2003. Survey of bats in northeastern Alberta. Alberta Sustainable Resource Development. Fish and Wildlife Division. Alberta Species at Risk Report No. 68. Edmonton, Alberta, 18 pp.
- Jones, E.T. 1974. Sixteen Alberta bat records, 1971-1974. *Blue Jay* 32:244-245.
- Jones, P.F., B.A. Downey, B.N. Taylor, J.P. Landry, R.W. Quinlan, K.J. Kissner, C.L. Skiftun, and D.L. Gummer. 2003. A Multi-species Conservation Strategy for Species at Risk in the Milk River Basin: Habitat Suitability Models for Selected Wildlife Management Species. Interim Report. Alberta Sustainable Resource Development, Department of Fish and Wildlife, and the Alberta Conservation Association. 118 pp.
- Lausen, C.L. 2001. Thermoregulation and roost selection by reproductive big brown bats (*Eptesicus fuscus*) roosting in the South Saskatchewan River Valley, Alberta. M.Sc. thesis, University of Calgary, Calgary, Alberta, 119 pp.
- Lausen, C.L. 2003. Roosting ecology of the western small-footed bat (*Myotis ciliolabrum*) in southeastern Alberta. Mountain Equipment CO-OP, Final Research Report. 20 pp.
- Lausen, C.L. 2004. Bat survey of Writing-On-Stone Provincial Park. A compilation of work since 1985. Prepared for: Alberta Natural Heritage Information Centre, Parks and Protected Areas Division, 2nd floor, Oxbridge Place, 9820 - 106 St. Edmonton, Alberta T5K 2J6
- Lausen, C.L. 2005. First record of hosts for the bat tick, *Carios kelleyi* (Acari: Ixodida: Argasidae) in Canada and Montana. *Journal of Medical Entomology* 42(3): 497-501.
- Lausen, C.L. and R.M.R. Barclay 2002. Roosting behaviour and roost selection of female big brown bats (*Eptesicus fuscus*) roosting in rock crevices in southeastern Alberta. *Canadian Journal of Zoology* 80:1069-1076.
- Lausen, C.L. and R.M.R. Barclay. 2003. Thermoregulation and roost selection by reproductive female big brown bats (*Eptesicus fuscus*) roosting in rock crevices. *Journal of Zoology (London)* 260:235-244.
- Lippert, H.D. 2001. The relationship of bat activity to habitat type and structure retention in managed, boreal forests of west-central Alberta. M.Sc. Thesis, University of Alberta, Edmonton, Alberta, 86 pp.
- Mackey, R.L. and R.M.R. Barclay. 1989. The influence of physical clutter and noise on the activity of bats over water. *Canadian Journal of Zoology* 67:1167-1170.
- Marinelli, L. 2000. The use of residual patches by bats in the boreal forest of northwestern Alberta. **In:** Schieck, J. Bradbury, S., Marinelli, L., Sorenson, T., Gray, C., and McKinnon, D. Biodiversity in cutblocks with few large versus many small residual patches of trees and snags. Alberta Research Council, Vegreville, AB. Pp. 122-131.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

McNalley, S. and R.M.R. Barclay. 1995. A survey of the bat fauna of the Suffield National Wildlife Area. Report for the Canadian Wildlife Service, and the Department of National Defence (CFB Suffield). Calgary, Alberta.

Measures, L.N. 1994. Seasonal dynamics of the bat stomach worm, *Longibucca lasiura* (Nematoda:Rhaditoida), in Alberta. Canadian Journal of Zoology 72:791-794.

Mueller, J. and M. Mueller. 1991. Preliminary observations of bat activity and habitat usage at Sir Winston Churchill Provincial Park, Touchwood Lake and Shaw Lake in the summer of 1999. Alberta Environment, Lac La Biche. 12 pp.

Mueller, M. and J. Mueller. 2001. Bat echolocation survey-2001. In Lakeland Provincial Park and Recreation Area and Sir Winston Churchill Provincial Park. Alberta Environment, Lac La Biche. 17 pp.

Patriquin, K.J. 2001. Ecology of a bat community in harvested boreal forest in northwestern Alberta. M.Sc. thesis, University of Calgary, Calgary, AB.

Patriquin, K.J. 2004. Red bat (*Lasiurus borealis*) captured in northeastern Alberta. Northwestern Naturalist 85(1): 28-30.

Patriquin, K.J. and R.M.R. Barclay. 2003. Foraging by bats in cleared, thinned and unharvested boreal forest. Journal of Applied Ecology 40:646-657.

Patriquin, K.J., Hogberg, L.K., Chruszcz, B.J. and R.M.R. Barclay. 2003. The influence of habitat structure on the ability to detect ultrasound using bat detectors. Wildlife Society Bulletin 31(2):475-481.

Petro-Canada (Petro-Canada Oil and Gas). 2001. Application for the Approval of the Meadow Creek Project. Submitted to Alberta Energy and Utilities Board and Alberta Environment. November 2001.

Pybus, M.J. 1985. Large-scale die-off of bats in northern Alberta, Canada. Bat Research News. 26:47.

Pybus, M.J. 1986a. [revised and updated in 1994]. Bats of Alberta: the real story. Alberta Fish and Wildlife and Alberta Agriculture, Edmonton, 16 pp. Agdex 684-8.

Pybus, M.J. 1986.b Don't be afraid to say you like bats. Alberta Teacher's Association Science Council, 5 pp.

Pybus, M.J. 1986c. Rabies in insectivorous bats of western Canada, 1979-1983. Journal of Wildlife Diseases 22:307-313.

Pybus, M.J. 1987. Rabies in Alberta. Alberta Fish and Wildlife and Alberta Agriculture, 14 pp. (fold-out brochure). Agdex 663-36.

Pybus, M.J. 1993. Rabies in insectivorous bats in the prairie regions of Canada. In: Proc. of the 3rd Prairie Conservation & Endangered Species Workshop, Brandon, Manitoba. G. Holroyd, H. Dickson, M. Regnier, H. Smith (eds.). Prov. Museum of Alberta natural history Occasional Paper No. 19. pp. 358-360.

Pybus, M.J. 1994. Don't be afraid to say you like bats. The Steward 26:3-4.

Pybus, M.J. and D.P. Hobson. 1984. Radio telemetry of big brown bats (*Eptesicus fuscus*), summer 1984. Alberta Fish and Wildlife, Edmonton, 22 pp.

Pybus, M.J. and D.P. Hobson. 1985. Radio telemetry of big brown bats (*Eptesicus fuscus*) summer 1985. Alberta Fish and Wildlife, Edmonton, 19 pp.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

Pybus, M.J. and D.P. Hobson and D.K. Onderka. 1986. Mass mortality of bats due to probable blue-green algal toxicity. *Journal of Wildlife Diseases* 22(3):449-450.

Rand, A.L. 1948. Mammals of the eastern Rockies and western plains of Canada. *Nat. Mus. Can. Bull.* No. 108. 237 pp.

Rasmuson, T.M. and R.M.R. Barclay. 1992. Individual variation in the isolation calls of newborn big brown bats (*Eptesicus fuscus*): is variation genetic? *Canadian Journal of Zoology* 70:698-702.

Rauch, J.C. 1967. Regional blood circulation in the little brown bat (*Myotis lucifugus*) and the deer mouse (*Peromyscus maniculatus*) in relation to sites of heat production. **In:** The R.B. Miller Biological Station. Edited by the University of Alberta (Dept. of Zoology). Report No. 18:71pp.

Rauch, J.C. 1972. Sequential changes in regional distribution of blood in *Eptesicus fuscus* (big brown bat) during arousal from hibernation. Ph.D. thesis, Univ. of Alberta, Edmonton, AB.

Rauch, J.C. 1973. Sequential changes in regional distribution of blood in *Eptesicus fuscus* (big brown bat) during arousal from hibernation. *Can. J. Zool.* 51: 973-981.

Rauch, J.C. and D.D. Beatty. 1975. Comparison of regional blood distribution in *Eptesicus fuscus* (big brown bat) during torpor (summer), hibernation (winter), and arousal. *Can. J. Zool.* 53: 207-214.

Rauch, J.C. and D.D. Beatty. 1977. Sodium pentobarbital induced alterations in regional distribution of blood in *Peromyscus maniculatus* (deer mouse) and *Eptesicus fuscus* (big brown bat). *Can. J. Zool.* 55: 1931-1935.

Rauch, J.C. and J.S. Hayward. 1969. Topography and vascularization of brown fat in a hibernator (little brown bat, *Myotis lucifugus*). *Can. J. Zool.* 47: 1315-1323.

Rauch, J.C. and J.S. Hayward. 1970. Regional distribution of blood flow in the bat *Myotis lucifugus* during arousal from hibernation. *Can. J. Physiol. Pharmacol.* 48: 269-273.

Riskin, D.K. and M.J. Pybus. 1998. The use of exposed diurnal roosts in Alberta by the little brown bat, *Myotis lucifugus*. *Canadian Journal of Zoology* 76:767-770.

Rio Alto (Rio Alto Exploration Ltd.). 2002. Kirby Project Application for Approval to Alberta Energy and Utilities Board and to Alberta Environment. Volumes 1,2,3,5,6 and 7. Prepared by Golder Associates Ltd. Calgary, AB.

Rosatte, R.C. 1985. Bat rabies in Alberta 1979-1982. *Canadian Veterinary Journal* 26:81-85.

Rosatte, S. 1987. Bat rabies in Canada: history, epidemiology and prevention. *Canadian Veterinary Journal* 28:754-756.

Salt, J.R. 1974. Index to the mammalian fauna of Edmonton, Alberta. Unpubl. Manuscript, Prov. Mus. Of Alberta, Edmonton, 95 pp.

Salt, J.R. 1976. The mammals of Pigeon Lake region. *Calgary Field-Nat.* 7: 274-281.

Saunders, M.B. 1987. Resource partitioning between little brown (*Myotis lucifugus*) and long-legged (*M. volans*) bats in southern Alberta. *Bat Research News* 28:37.

Saunders, M.B. 1989. Resource partitioning between little brown bats (*Myotis lucifugus*) and long-legged bats (*Myotis volans*) in southern Alberta. M.Sc. Thesis, University of Calgary, Calgary, Alberta.

Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and northeastern British Columbia*

- Saunders, M.B. 1990. Fourth red bat found in Alberta. *Blue Jay* 48:57-58.
- Saunders, M.B. and R.M.R. Barclay. 1992. Ecomorphology of insectivorous bats: a test of predictions using two morphologically similar species. *Ecology* 73:1335-1345.
- Schowalter, D.B. 1975. Bats and rabies in Alberta. Alberta Department of Lands and Forests, Fish and Wildlife Division. Wildlife Investigations Progress Report. 27 pp.
- Schowalter, D.B. 1976. Bat rabies in Alberta. Alberta Recreation, Parks and Wildlife, Fish and Wildlife Division. 12 pp.
- Schowalter, D.B. 1979. Notes on the distribution of bats in Alberta and Saskatchewan. *Blue Jay* 37(3):179-187.
- Schowalter, D.B. 1980a. Characteristics of rabies in bats in Alberta. *The Canadian Journal of Comparative Medicine* 44(1):70-76.
- Schowalter, D.B. 1980b. Swarming, reproduction and early hibernation of *Myotis lucifugus* and *Myotis volans* in Alberta, Canada. *Journal of Mammalogy* 61(2):350-354.
- Schowalter, D.B. 1980c. Rabies vector control in Alberta. *Proc. 27 C.P.M.S.* 163-165.
- Schowalter, D.B. and A. Allen. 1981. Late summer activity of small-footed, long-eared and big brown bats in Dinosaur Park, Alberta. *Blue Jay* 39:50-53.
- Schowalter, D.B. and P.J. Cole. 1975. Studies of bat populations and bat rabies in Alberta. Alberta Department of Recreation, Parks and Wildlife, Fish and Wildlife Division. Wildlife Investigations Progress Report. 53 pp.
- Schowalter, D.B. and P.J. Cole. 1976. Studies of bat populations and bat rabies in Alberta, 1971-1975. Alberta Recreation and Parks, and Wildlife, Fish and Wildlife Division, 53 pp.
- Schowalter, D.B. and R. Digby. 1999. New distribution records of small mammals from Alberta from Great Horned Owl pellets. *Alberta Naturalist* 29:82-83.
- Schowalter, D.B., and W.J. Dorward. 1978. Some western Canadian bat records. *Blue Jay* 36:49-50.
- Schowalter, D.B. and J.R. Gunson. 1979. Reproductive biology of big brown bats (*Eptesicus fuscus*) in Alberta. *Canadian Field-Naturalist* 93(1):48-54.
- Schowalter, D.B., J.R. Gunson, and L.D. Harder. 1979. Life history characteristics of little brown bats (*Myotis lucifugus*) in Alberta. *Canadian Field-Naturalist* 93(3):243-251.
- Schowalter, D.B., W.J. Dorward, and J.R. Gunson. 1978. Seasonal occurrence of silver-haired bats (*Lasionycteris noctivagans*) in Alberta and British Columbia. *Canadian Field-Naturalist* 92(3):288-291.
- Schowalter, D.B., L.D. Harder and B.N. Triechel. 1978. Age composition of some vespertilionid bats as determined from dental annuli. *Canadian Journal of Zoology* 56:355-358.
- Shell (Shell Canada Limited). 2002. Jackpine Mine - Phase 1 Application, Environmental Impact Assessment and Socio-Economic Assessment. Volumes 1 to 7. Prepared by Shell Canada Limited, Golder Associates Ltd., Komex International Inc., Cantox Environmental Inc. and Nichols Applied Management. May 2002.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

- Smith, H.C. [date unknown]. Bat banding in Alberta. Natural History Contribution #43, Provincial Museum of Alberta, pp. 6-9.
- Smith, H.C. 1976. Variation in a population of Alberta bats. Typed mimeo from Provincial Museum. 6 pp. [presents mensural data to support difference in size of northern vs southern *Myotis lucifugus* in Alberta].
- Smith, H.C. 1977. Little brown bats with abnormal dentition. *Blue Jay* 35: 175-177.
- Smith, H.C. 1979a. Long-legged bat in Alberta. *Blue Jay* 37(4):230-235.
- Smith, H.C. 1979b. Movement of banded bats in Alberta. *Blue Jay* 37:117-118.
- Smith, H.C. 1979c. Mammals of the Edmonton area. *Prov. Mus. Alberta, Nat. Hist. Occ. Pap. No. 2.* 34 pp.
- Smith, H.C. 1981. First record for Canada of the bat mite, *Spinturnix globosus* and a new host, *Myotis lucifugus*. *Canadian Field-Naturalist* 95:206-207.
- Smith, H.C. 1981. The distribution of mammals in southeastern Alberta, as indicated by the analysis of owl pellets. *Blue Jay* 39: 230-238.
- Smith, H.C. 1982. An albino little brown bat, *Myotis lucifugus*, from Alberta. *Canadian Field-Naturalist* 96:217.
- Smith, H.C. 1993. *Alberta Mammals: An Atlas and Guide.* Prepared and Published by the Provincial Museum of Alberta, Edmonton, Alberta. 238 pp.
- Smith, H.C. 1995. Movement and age of male little brown bats in Alberta. *Blue Jay* 53:113-114.
- Smith, H.C. and D.B. Schowalter. 1979. A subspecies of little brown bat new to the province of Alberta. *Blue Jay* 37:58-63.
- Soper, J.D. 1942. Mammals of Wood Buffalo Park, northern Alberta and District of McKenzie. *J. Mamm.* 23: 119-145.
- Soper, J.D. 1946. Mammals of the northern great plains along the international boundary in Canada. *J. mamm.* 27: 127-153.
- Soper, J.D. 1964. *The mammals of Alberta.* Hamly Press, Edmonton, 402 pp.
- Soper, J.D. 1970. The mammals of Jasper National Park, Alberta. *Can. Wildl. Serv. Rep. Ser. No. 10.* 80 pp.
- Soper, J.D. 1973. The mammals of Waterton Lakes National Park, Alberta. *Can. Wildl. Serv. Rep. No. 23.* 57 pp.
- Spalding, D.A.E. (ed.) 1980. *A nature guide to Alberta.* *Prov. Mus. Of Alberta. Publ. No. 5.* 368 pp.
- Van Zyll de Jong, C.G. 1979. Distribution and systematic relationships of long-eared *Myotis* in western Canada. *Canadian Journal of Zoology* 57:987-994.
- Von Frenckell, B. and R.M.R. Barclay. 1987. Bat activity over calm and turbulent water. *Canadian Journal of Zoology.* 65:219-222.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

Vonhof, M.J. 2000. Handbook of inventory methods and standard protocols for surveying bats in Alberta. Prepared for Alberta Environment, Edmonton, Alberta. 69 pp.

Vonhof, M.J., and D. Hobson. 2000. Survey of bats of central and northwestern Alberta. Alberta Sustainable Resource Development, Fish and Wildlife Service, Alberta Species at Risk Report No. 4. Edmonton, Alberta. 33pp.

Vujnovic, D. 2001. Preliminary mammalian survey in the area of Marguerite River Crag and Tail, Maybelle River, and Richardson River Dunes Wildland Provincial Parks, Alberta. A report prepared for Parks and Protected Areas Division, Alberta Community Development, Edmonton, Alberta. 47 pp.

Westworth (D.A.) and Associates. 1979. Review of mammal populations on Lease No. 17 and vicinity. Syncrude Canada Ltd., Edmonton, Alberta.

Wilkinson, L.C. 1995. The influence of reproduction on foraging behaviour and diet of big brown bats (*Eptesicus fuscus*) in southeastern Alberta. M.Sc. thesis, University of Calgary, 105 pp.

Wilkinson, L.C. and R.M.R. Barclay. 1997. Differences in the foraging behaviour of male and female big brown bats (*Eptesicus fuscus*) during the reproductive period. *Ecoscience* 4:279-285.

Wisely, A.N. 1978. Bat dies on barbed wire fence. *Blue Jay* 36:53.

Young, B. 1996. Our bug eating buddies. *The Western Conservation Officer*. Fall:24-27.

Manitoba

- Barclay, R.M.R. 1984. Observations on migration, ecology, and behavior of bats at Delta Marsh, Manitoba. *Can. Field-Nat.* 98: 331-336.
- Barclay, R.M.R. 1985. Long-versus short-range foraging strategies of hoary (*Lasiurus cinereus*) and silver-haired (*Lasionycteris noctivagans*) bats and the consequences for prey selection. *Canadian Journal of Zoology* 63:2507-2515.
- Barclay, R.M.R. 1986. The echolocation calls of hoary (*Lasiurus cinereus*) and silver-haired (*Lasionycteris noctivagans*) bats as adaptations for long- versus short-range strategies and the consequences for prey selection. *Canadian Journal of Zoology* 64:2700-2705.
- Barclay, R.M.R. 1989. The effect of reproductive condition on the foraging behavior of female hoary bats, *Lasiurus cinereus*. *Behavioral Ecology and Sociobiology* 24:31-37.
- Barclay, R.M.R., Faure, P.A. and D.R. Farr. 1988. Roosting behavior and roost selection by migrating silver-haired bats (*Lasionycteris noctivagans*). *Journal of Mammalogy* 69(4):821-825.
- Criddle, S. 1929. An annotated list of the mammals of Aweme, Manitoba. *Can. Field-Nat.* 43:155-159.
- Criddle, S. 1932. A few records of mammals from Manitoba. *Can. Field-Nat.* 46: 178-181.
- Dubois, J.E. and K.M. Monson. 2003. Recent distribution of the little brown bat (*Myotis lucifugus*) in Manitoba and northwestern Ontario. *Canadian Caver* 60:12-17.
- Fenton, M.B. 1982. Bats. *Manitoba Nature* 28: 18-23.
- Green, H.U. 1932. Mammals of the Riding Mountain National Park, Manitoba. *Can. Field-Nat.* 46: 149-152.
- Koehler, C.E. 1991. The reproductive ecology of the hoary bat (*Lasiurus cinereus*) and its relation to litter size variation in vespertilionid bats. M.Sc. Thesis, University of Calgary, Calgary, Alberta, 99 pp.
- Koehler, C.E. and R.M.R. Barclay. 1987. The potential for vocal signatures in the calls of young hoary bats (*Lasiurus cinereus*). *Canadian Journal of Zoology* 66:1982-1985.
- Koehler, C.E. and R.M.R. Barclay. 2000. Post-natal growth and breeding biology of the hoary bat (*Lasiurus cinereus*). *J. Mamm.* 8(11): 234-244.
- Nagorsen, D.W. 1980. Records of hibernating big brown bats (*Eptesicus fuscus*) and little brown bats (*Myotis lucifugus*) in northwestern Ontario. *Can. Field-Nat.* 94: 83-85.
- Rand, A.L. 1948. Mr. W.H. Bryenton's notes on Manitoba mammals of the Herb Lake-Flin Flon area. *Can. Field-Nat.* 62: 140-150.
- Rolseth, S.L., Koehler, C.E. and R.M.R. Barclay. 1994. Differences in the diets of juvenile and adult hoary bats, *Lasiurus cinereus*. *Journal of Mammalogy* 75(2):394-398.
- Sealy, S. 1960. More winter bat records. *Blue Jay* 18: 139.
- Sealy, S.G. 1978. Litter size and nursery sites of the hoary bat near Delta, Manitoba. *Blue Jay* 36(1):51-52.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

- Seton, E.T. 1886. A list of the mammals of Manitoba. Trans. Manitoba Hist. Sci. Soc. 23.
- Seton, E.T. 1909. Fauna of Manitoba. British Assoc. Handbook, Pp. 183-191.
- Seton, E.T. 1910. Life histories of northern animals. An account of the mammals of Manitoba (second volume). Constable and Co., London. 1267 pp.
- Soper, J.D. 1961. The mammals of Manitoba. Can. Field-Nat. 75: 171-219.
- Tamsitt, J.R. 1962. Mammals of the Delta Marsh region of Lake Manitoba. Can. Field-Nat. 76: 71-78.
- Wilson, N.A. 2002. The occurrence of the bat bug, *Cimex pilosellus* (Horvath) (Hemiptera: Cimicidae), in Manitoba, Canada. Proceedings of the Entomological Society of Manitoba 58: 5-7.
- Wrigley, R.E. 1974. Mammals of the sandhills of southwest Manitoba. Can. Field-Nat. 88: 21-39.

Saskatchewan

- Banfield, A.W.F. 1941. Notes on Saskatchewan mammals. *Can. Field-Nat.* 55: 117-123.
- Beck, W.H. 1958. A guide to Saskatchewan mammals. *Sask. Nat. Hist. Soc. (Regina) Spec. Publ. No. 1*: 1-52.
- Brigham, R.M. 1995. A winter record for the silver-haired bat in Saskatchewan. *Blue Jay* 53(3):168.
- Brigham, R.M. and A.K. James. 1993. A true albino little brown bat, *Myotis lucifugus*, from Saskatchewan. *Blue Jay* 51:213-214.
- Gollop, M.A. 1965. Bird migration collision casualties at Saskatoon. *Blue Jay* 23:15-17.
- Gummer, D.L. and R.M. Brigham. 1995. Does fluctuating asymmetry reflect trait importance in little brown bats (*Myotis lucifugus*). *Canadian Journal of Zoology* 73:990-992.
- Hobson, K.A., Kalcounis, M.C., Brigham, R.M. and K.R. Hecker. 1995. The influence of forest management practices on boreal forest bird habitat use and productivity: a community approach. II. Habitat use and foraging by bats in the Prince Albert Model Forest. Prince Albert Model Forest Interim Report for 1995/1996.
- Kalcounis, M.C. 1993. Factors influencing the temporal clustering of individuals during the emergence of little brown bats *Myotis lucifugus*. (abstract). *Bat Research News* 34(4):115.
- Kalcounis, M.C. 1995a. Natural roost site selection by big brown bats (*Eptesicus fuscus*). M.Sc. Thesis, University of Regina, Regina, Saskatchewan, 73 pp.
- Kalcounis-Rüppell, M.C., J. Psyllakis and R.M. Brigham. In Press (2005). Tree roost selection by bats: an empirical synthesis using meta-analysis. *Wildlife Society Bulletin*
- Kalcounis, M.C. and R.M. Brigham. 1995b. Secondary use of aspen cavities by tree-roosting big brown bats. *Journal of Wildlife Management*. 62:603-611.
- Kalcounis, M.C. and R.M. Brigham. 1995c. Intraspecific variation in wing loading affects habitat use by little brown bats (*Myotis lucifugus*). *Canadian Journal of Zoology* 73:89-95.
- Kalcounis, M.C. and R.M. Brigham. 1995d. Impact of predation risk on emergence by little brown bats, *Myotis lucifugus* (Chiroptera: Vespertilionidae), from a maternity colony. *Ethology* 98:201-209.
- Kalcounis, M.C., Csada, R.D. and R.M. Brigham. 1992. Axle grease as an alternative adhesive for use on sticky traps. *The Canadian Entomologist* 124:561-562.
- Kalcounis, M.C. and K.R. Hecker. 1996. Intraspecific variation in the tree-roost site selection by little brown bats (*Myotis lucifugus*). Pg. 81-90 in *Bats and Forest Symposium* (R.M.R. Barclay and R.M. Brigham eds.). Proceedings of First International Bat-Forest Interactions Symposium. Held at Victoria, B.C. 19-21 October 1995. Research Branch, B.C. Min. For., Victoria, B.C. Work Pap. 23/1996. 292 pp.
- Kalcounis, M.C., Hobson, K.A., Brigham, M.R. and K.R. Hecker. 1999. Bat activity in the boreal forest: importance of stand type and vertical strata. *Journal of Mammalogy* 80:673-682.
- Maher, W.J. 1972. Two new records of long-eared myotis in Saskatchewan. *Blue Jay* 30: 236.

**Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and
northeastern British Columbia***

- Maher, W.J. 1972. Hoary bat parturition date and captivity record. *Blue Jay* 30: 236-237.
- Negraeff, O. 1992. The influence of moonlight on the activity of little brown bats (*Myotis lucifugus*). *Bat Research News* 33: 68.
- Negraeff, O. E. and R. M. Brigham. 1995. The influence of moonlight on the activity of little brown bats (*Myotis lucifugus*). *Z. Säugetierkd.* 60(6): 330-336.
- Nero, R.W. 1957a. Saskatchewan silver-haired bat records. *Blue Jay* 15:121.
- Nero, R.W. 1957b. New silver-haired bat records. *Blue Jay* 15:121.
- Nero, R.W. 1958. Hoary bat parturition date. *Blue Jay* 16: 130-131.
- Nero, R.W. 1958. A new Saskatchewan bat. *Blue Jay* 16: 175.
- Nero, R.W. 1959. Winter records of bats in Saskatchewan. *Blue Jay* 17: 78.
- Nero, R.W. 1959. Some recent mammal records. *Blue Jay* 17: 169.
- Nero, R.W. 1960. Long-eared myotis found in Saskatchewan. *Blue Jay* 18: 181.
- Nero, R.W. 1963. A second record of the long-eared myotis bat. *Blue Jay* 21: 119.
- Novakowski, N.S. 1956. Additional records of bats in Saskatchewan. *Canadian Field-Naturalist* 70:142.
- Parsons, H.J., Smith, D.A. and R.F. Whittam. 1986. Maternity colonies of silver-haired bats, *Lasiurus noctivagus*, in Ontario and Saskatchewan. *Journal of Mammalogy* 67(3):598-600.
- Rand, A.L. 1942. Bats in Saskatchewan. *Blue Jay* 1: 34.
- Schalk, G. V. and R. M. Brigham, 1995. Prey selection by insectivorous bats: are essential fatty acids important? *Canadian Journal of Zoology*, 73: 1855-1859.
- Schowalter, D.B. 1979. Notes on the distribution of bats in Alberta and Saskatchewan. *Blue Jay* 37: 179-187.
- Sleep, Darren J. H. 2001. Influence of structural clutter and prey availability on foraging behaviour of insectivorous bats. M.Sc. thesis, University of Regina, Regina, SK.
- Sleep, J.H. and R.M. Brigham. 2003. An experimental test of clutter tolerance in bats. *J. Mamm.* 84(1): 216-224.
- Soper, J.D. 1951. The mammals of Prince Albert National Park, Saskatchewan, Canada. *Wildl. Manage. Bull. Ser. 1. No. 5.* 48 pp.
- Soper, J.D. 1961. Field data on the mammals of southern Saskatchewan. *Can. Field-Nat.* 75: 23-41.
- Willis, Craig, K.R. 2003. Physiological ecology of roost selection in female, forest-living big brown bats (*Eptesicus fuscus*) and hoary bats (*Lasiurus cinereus*). Ph.D. dissertation, University of Regina, Regina, SK.

Alberta Bat Work – plus a listing of bat work from Saskatchewan, Manitoba and northeastern British Columbia*

Willis, C.K.R. 2003. Daily heterothermy by temperate bats using natural roosts. In: Akbar, Z. McCracken, G.F., Kunz, T.H. (eds), functional and evolutionary ecology of bats. Proceedings for the 12th International Bat Research Conference. Oxford University Press, New York, (in press).

Willis, C.K.R. and R.M. Brigham. 2003. Defining torpor in free-ranging bats: experimental evaluation of external temperature-sensitive radiotransmitters and the concept of active temperature. *J. Comp. Physiol. B* 173: 379-389.

Willis, C.K.R. & R.M. Brigham. 2003. New Records of the Eastern Red Bat, *Lasiurus borealis*, from Cypress Hills Provincial Park, Saskatchewan: A response to climate change? *Can. Field-Nat.* 117:651-654.

Willis, C.K.R. and R.M. Brigham. 2004. Roost switching, roost sharing and social cohesion: Forest-dwelling big brown bats (*Eptesicus fuscus*) conform to the fission-fusion model. In press *Anim. Behav.* 68: 495-505.

Willis, C.K.R., and R.M. Brigham. 2005. Physiological and ecological aspects of roost selection by reproductive female hoary bats (*Lasiurus cinereus*). *Journal of Mammalogy* 86(1): 85-94.

Willis, C.K.R., C.M. Voss and R.M. Brigham. *In press*. Roost selection by forest-living female big brown bats (*Eptesicus fuscus*). *Journal of Mammalogy*.

Willis, C.K.R., K.A. Kolar, A.L. Karst, M.C. Kalcounis-Rueppell, and R.M. Brigham. 2003. Medium- and long-term reuse of trembling aspen cavities as roosts by big brown bats (*Eptesicus fuscus*). *Acta Chiropterol.* 5(1): 85-90.

Willis, C.K.R., J.E. Lane, E.T. Liknes, D.L. Swanson and R.M. Brigham. 2005. Thermal energetics of female big brown bats (*Eptesicus fuscus*). *Canadian Journal of Zoology.* 83:871-879.

General

Barclay, R.M.R. & R.M. Brigham. 2004. Geographic variation in the echolocation calls of bats: a complication for identifying species by their calls. Pp. 144-149 In: Brigham, R.M. et al. (eds.) 2004. *Bat Echolocation Research: tools, techniques and analysis*. Bat Conservation International. Austin, Texas.

Lane, J.E., C.L. Buck and R.M. Brigham. 2003. The bat fauna of southeast South Dakota. *The Prairie Naturalist* 35: 247-256.

*Compilation of this bibliography has also included the efforts of Dr. Maarten Vonhof, U. Michigan, Kalamazoo, Krista Patriquin, Cori Lausen and Carol Stefan.