

British Columbia

- Aldridge, H. 1986. Manoeverability and ecological segregation in the little brown (*Myotis lucifugus*) and Yuma (*M. yumanensis*) bats (Chiroptera: Vespertilionidae). *Canadian Journal of Zoology* 64:1878-1882.
- Aldridge H.D.J.N. and R.M. Brigham. 1991. Factors influencing foraging time in two aerial insectivores; the bird, *Chordeiles minor* and the bat, *Eptesicus fuscus*. *Canadian Journal of Zoology* 69:62-69.
- Avery, R. J. and J. M. Tailyour. 1960. The isolation of the rabies virus from insectivorous bats in British Columbia. *Canadian Journal of Comparative Medicine and Veterinary Science* 24(5): 143-146.
- Balke, J., Mooney, S. and G. Suther. 1994. Quadra Island biodiversity study: alternative silviculture system effects on species diversity and relative abundance in second-growth forests in the very dry maritime CWH biogeoclimatic zone. 1993-1994 Field Season Results – Year 3. Progress Report and Working Plan 1994-1995. Unpublished report. Fletcher Challenge Ltd.
- Barclay, R.M.R. and R.M. Brigham. 1991. Prey detection, dietary niche breadth and body size in bats: Why are insectivorous bats so small? *American Naturalist* 137:693-703.
- Barclay, R. M. R. and R. M. Brigham, 1994. Constraints on optimal foraging: A field test of prey discrimination by echolocating insectivorous bats. *Animal Behaviour* 48: 1013–1021.
- Barclay, R.M.R. and R.M. Brigham (eds.). 1996. Bats and forests symposium. October 19-21, 1995. Victoria, British Columbia, Canada. Research Branch, B.C. Ministry of Forests, Victoria, B.C. Working Paper 23/1996. 292 pp.
- Barclay, R.M.R. and R.M. Brigham. 1998. Hide and Seek: in search of forest bats. *BATS* 16(1): 3-7.
- Barclay, R.M.R. and R.M. Brigham. 2001. Year-to-year reuse of tree-roosts by California bats (*Myotis californicus*) in southern British Columbia. *American Midland Naturalist*. 146: 80-85.
- Barclay, R.M.R., J.H. Fullard and D.S. Jacobs, 1999. Variation in the echolocation calls of the hoary bat: influence of body size, habitat structure and geographic location. *Canadian Journal of Zoology*. 77:530-534.
- Barclay, R.M.R., M.C. Kalcounis, L.H. Crampton, C. Stefan, M.J. Vonhof, L. Wilkinson, and R.M.
- Brigham. 1996. Can external radio transmitters be used to assess body temperature and torpor in bats? *Journal of Mammalogy* 77:1102-1106.
- Blood, D.A. 1993. Wildlife in British Columbia at Risk: Spotted bat. Pamphlet produced by B.C. Ministry of Environment, Lands and Parks, (Laura Friis) with funding from the B.C. Habitat Conservation Trust Fund and The Nature Trust of B.C. 6 pp.
- Blood, D.A. 1998. Wildlife in British Columbia at Risk: Townsend's big-eared bat. Pamphlet produced by B.C. Ministry of Environment, Lands and Parks (Laura Friis) with funding from the B.C. Habitat Conservation Trust Fund. 6 pp.
- Boles, D. 1999. Location of suspected bat hibernaculum. Report prepared for the Columbia Basin Fish and Wildlife Program, Nelson, B.C.
- Bradbury, S.M., Morris, S. and S. McNally. 1997. Bat survey of the Liard River watershed in British Columbia: the lower Liard River and highway 77 area. Report prepared for the Wildlife Branch, B.C. Ministry of Environment, Lands and Parks, Victoria, B.C. 29 pp.

British Columbia Bat Work*

Bradshaw, Paul A. 1997. Relationships between vertical forest structure and bat activity in some south temperate old-growth forest stands. M.Sc. thesis, University of Regina, Regina, SK.

Bradshaw, P.A. 1996. The physical nature of vertical forest habitat and its importance in shaping bat species assemblages. Pg. 199-214 in *Bats and Forest Symposium* (R.M.R. Barclay and R.M. Brigham eds.). Proceedings of First International Bat-Forest Interactions Symposium. Held at Victoria, B.C. 19-21 October 1995. Research Branch, B.C. Min. For., Victoria, B.C. Work Pap. 23/1996. 292 pp.

Brigham, R.M. 1990. Prey selection by big brown bats (*Eptesicus fuscus*) and common nighthawks (*Chordeiles minor*). *American Midland Naturalist* 124:73-80.

Brigham, R.M. 1991. Flexibility in foraging and roosting behaviour by the big brown bat (*Eptesicus fuscus*). *Canadian Journal of Zoology* 69:117-121.

Brigham, R.M. 1995. Riparian habitat and its importance for roosting and foraging by insectivorous bats. Pp. 57-72 in: *Riparian Habitat Management and Research: A special publication of the Fraser River Action Plan* (K.H. Morgan and M.A. Lashmar eds.). Proceedings of a workshop sponsored by Environment Canada, and the B.C. Forestry Continuing Studies Network, held in Kamloops, B.C. 4-5 May 1993. Environment Canada – Canadian Wildlife Service.

Brigham, R.M. 1999. Unravelling the mysteries of bats and goatsuckers. *Living Landscapes; Thompson/Okanagan: past, present and future*. Vol. 3, Issue #2.
<http://royal.okanagan.bc.ca/newsletr/index.html>

Brigham, R.M. in press. Bats: myths, realities and why should we care. *Wildlife and Forestry Newsletter*, B.C. Ministry of Environment, Lands and Parks.

Brigham, R.M., H.D.J.N. Aldridge and R.L. Mackey. 1992. Variation in habitat use and prey selection by Yuma bats (*Myotis yumanensis*). *Journal of Mammalogy* 73:640-645.

Brigham, R.M., Barclay, R.M.R., Grindal, S.D. and M.J. Vonhof. 1997. Impacts of forest harvesting on foraging and roosting behaviour of bats in the West Arm Demonstration Forest (WADF): accomplishments and highlights. Unpublished report for the Canadian Forest Service, British Columbia Habitat Conservation Fund and British Columbia Ministry of Forests.

Brigham, R.M., R.M.R. Barclay, J.M. Psyllakis, D.J.H. Sleep, and K.T. Lowrey. 2002. Guano traps as a means of assessing habitat use by foraging bats. *Northwestern Naturalist* 83: 15-18.

Brigham, R.M. and A.C. Brigham. 1989. Evidence for association between a mother bat and its young during and after foraging. *American Midland Naturalist* 121:205-207.

Brigham, R.M. and M.B. Fenton. 1991. Convergence in foraging strategies by two morphologically and phylogenetically distinct nocturnal aerial insectivores. *Journal of Zoology (London)* 223:475-489.

Brigham, R. M., S.D. Grindal, M.C. Firman, and J.L. Morissette. 1997. The influence of structural clutter on activity patterns of insectivorous bats. *Canadian Journal of Zoology* 75:131-136.

Brigham, R.M., M.J. Vonhof, R.M.R. Barclay, and J.C. Gwilliam. 1997. Roosting behavior and roost-site preferences of forest-dwelling California bats (*Myotis californicus*). *Journal of Mammalogy* 78:1231-1239.

B.C. Ministry of Environment, Lands and Parks. 1998. *British Columbia's Wildlife at Risk: Keen's long-eared Myotis, Myotis keenii*. Pamphlet produced by MELP with funding from Forest Renewal B.C. 2 pp.

British Columbia Bat Work*

BC Southern Interior Bat Recovery Group. 2003. Recovery Plan for the Pallid Bat (*Antrozous pallidus*) in Canada. Prepared for RENEW, Canada.

Bryant, A.A. 1987. A reconnaissance of potential bat hibernacula in the southern Okanagan Valley, British Columbia. Prepared for the World Wildlife Fund (Canada), BC Ministry of Environment, Lands and Parks, Victoria, and the Federation of BC Naturalists. 17 pp.

Bryant, A.A. 1989. Late fall monitoring of spotted bats (*Euderma maculatum*) in the south Okanagan Valley, B.C. Prepared for the Habitat Conservation Fund and B.C. Environment, Penticton.

Burles, D.W. 2001. Influence of Weather on the Life History of Two Bats, *Myotis lucifugus* and *Myotis keenii* at Gandle K'in, Haida Gwaii. M. Sc. Thesis. University of Victoria, Victoria, B.C. 150 pp.

Burles D.W., A. G. Edie and P. M. Bartier, 2004. Native Land Mammals and Amphibian of Haida Gwaii with Management Implications for Gwaii Haanas National Park Reserve and Haida Heritage Site. Parks Canada Technical Reports in Ecosystem Science Report #__. 116 pp. (in press).

Caceres, C. 1997. Northern long-eared bat progress report. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program.

Caceres, C. 1998. The foraging and roosting ecology of the *Myotis* bats of the interior wet-belt, British Columbia. Report prepared for the Columbia Basin Fish and Wildlife Program, Nelson, B.C.

Caceres, M.C. 1998. The summer ecology of *Myotis* species bats in the interior wet-belt of British Columbia. M.Sc. thesis, University of Calgary, Calgary, Alberta, 102 pp.

Campbell, R.W. 1972. Range extension of the big brown bat on Vancouver Island, British Columbia. *Murrelet* 53: 12.

Carl, G.C. 1945. A winter record of the big brown bat. *Victoria Nat.* 2:26.

Carl, G.C., C.J. Guiget, and G.A. Hardy. 1952. A natural history survey of the Manning Park area, British Columbia. *B.C. Prov. Mus. Occ. Pap.* 9: 130 pp.

Chapman, K., McGuinness, K., and R.M. Brigham. 1994. Status of the pallid bat in British Columbia. Wildlife Working Report No. WR-61. Wildlife Branch, BC Ministry of Environment, Lands and Parks, 26 pp.

Chatwin, T.A. and M.H. Mather. in prep. Temperature Profiles and Elevation of Bat Hibernacula on Northern Vancouver Island. Submitted to *Can. Field-Naturalist* in April 2003.

Chatwin, T. and R. van den Driessche. 1996. Monitoring the long-term effects of prescribed burning on non-game wildlife in a grassland ecosystem in central British Columbia. *Trans. North American Wildl. Nat. Resour. Conf.* 61: 180-189.

Chilton, G., Vonhof, M.J., Peterson, B.V., and N. Wilson. 2000. Ecotoparasitic insects of bats in British Columbia, Canada. *Journal of Parasitology* 86(1):191-192.

Collard, T.S. 1990. Identification of the status and critical habitats of the Pallid bat (*Antrozous pallidus*), in the South Okanagan, B.C. Prepared for B.C. Environment, Victoria, B.C.

Collard, T.S. 1991. Identification of the status and critical habitats of the spotted bat (*Euderma maculatum*) in the South Okanagan Valley, British Columbia. Prepared for B.C. Environment, Victoria, B.C. 18 pp.

British Columbia Bat Work*

- Collard, T.S. 1991. Identification of the status and critical habitats of the fringed bat (*Myotis thysanodes*), in the south Okanagan Valley, British Columbia. Report prepared for the BC Ministry of Environment, Lands and Parks, Victoria, B.C. 18 pp.
- Collard, T.S. and R.M.R. Barclay. 1991. Identification of the status and critical habitats of the spotted bat (*Euderma maculatum*) in the southern Okanagan Valley, British Columbia. Report prepared for the BC Ministry of Environment, Lands and Parks, Victoria, B.C. 19 pp.
- COSEWIC 2003. COSEWIC assessment and update status report on Keen's long-eared bat *Myotis keenii* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 35 pp. (www.sararegistry.gc.ca/status/status_e.cfm)
- COSEWIC 2004a. COSEWIC assessment and update status report on the spotted bat *Euderma maculatum* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 26 pp. (www.sararegistry.gc.ca/status/status_e.cfm).
- COSEWIC 2004b. COSEWIC assessment and update status report on the fringed bat *Myotis thysanodes* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 26 pp. (www.sararegistry.gc.ca/status/status_e.cfm).
- Collard, T.S., Grindal, S.D., Brigham, R.M. and R.M.R. Barclay. 1990. Identification of the status and critical habitats of the spotted bat (*Euderma maculatum*), pallid bat (*Antrozous pallidus*), and fringed bat (*Myotis thysanodes*) in the south Okanagan Valley, British Columbia. A report submitted to the World Wildlife Fund, the BC Ministry of Environment, and BC Habitat Conservation Fund, 28 pp.
- Cowan, I.McT. 1933. Some notes on the hibernation of *Lasionycteris noctivagans*. Canadian Field-Naturalist 47:74-75.
- Cowan, I.McT. 1942. Notes on the winter occurrence of bats in British Columbia. Murrelet 23:61.
- Cowan, I.McT. 1944. Further notes on the winter occurrence of bats in British Columbia. Murrelet 25: 45.
- Cowan, I.McT. 1945. The free-tailed bat, *Tadarida macrotis* in British Columbia. Can. Field-Nat. 59:149.
- Cowan, I. McT., and C.J. Guiget. 1965. The mammals of British Columbia. B.C. Provincial Museum Handbook, 11, 414 pp.
- Craig, J. 1994. Bat research in the West Arm Demonstration Forest. Ministry of Forests, Nelson Forest Region, Extension Note 013, 2 pp. <http://www.for.gov.bc.ca/rsi/research/SUMMARY/RS013.HTM>
- Craig, V.J. 2002. Temperature characteristics of Townsend's big-eared bat (*Corynorhinus townsendii*) along coastal British Columbia: Progress report. Unpublished report submitted to Bat Conservation International.
- Craig, V. J. 2003. British Columbia status report on Townsend's big-eared bat, *Corynorhinus townsendii*. Draft report. Prepared for B.C. Ministry of Water, Land and Air Protection. 45 pp.
- Craig, V.J. and S.L. Holroyd. 2004. Bat Conservation Strategy for B.C. and Alberta. Unpublished Report, DRAFT, prepared for BC WLAP, Victoria, British Columbia. 138 pp.
- Craig, V. J., S. L. Holroyd, and S. F. Wilson. Analysis of echolocation calls with neural network techniques to identify bat species on the Gulf Islands of British Columbia, Canada. North American Symposium on Bat Research, Victoria, BC, October 2001.

British Columbia Bat Work*

Craig, J.A. and M. Sarell. 2004. Slocan Valley Bat Project: A Community Approach to Bat Inventory and Conservation. Prepared for Columbia Basin Trust, Golden, BC and Columbia Basin Fish and Wildlife Compensation Program, Nelson, BC. Available online at: www.kootenaybats.com under "2004 Bat Project" page.

Crampton, L.H., Poole, K.G. and C. Shurgot. 1997. Bat inventory of the Prophet River Territory in northeastern British Columbia. Report prepared for the Wildlife Branch, BC Ministry of Environment, Lands and Parks, Fort St. John, B.C.

Dalquest, W.W. 1943. Seasonal distribution of the hoary bat along the Pacific coast. *Murrelet* 24: 21-24.

Davis, M. and T. Chatwin. 1997. Bat usage of the Weymer Creek Cave systems on northern Vancouver Island. Report to the Science Council of B.C., Vancouver, B.C.

Davis, M., Vanderberg, A., and M. Mather. 2000. Bat usage of the Weymer Creek Cave systems on Northern Vancouver Island. Report prepared for Bat Conservation International and the Habitat Conservation Trust Fund of British Columbia. 60 pp.

Davis, M., Chatwin, T., Vanderburg, A. and M. Mather. 1999. Bat usage of the Weymer Creek Cave systems on northern Vancouver Island. Unpublished report to the Habitat Conservation Trust Fund and the Ministry of Environment, Lands and Parks.

Dawe, N.K. 1980. Flora and fauna of the Marshall-Stevenson unit, Qualicum National Wildlife Area. (Updated to June, 1979). Unpublished report, Canadian Wildlife Service, Qualicum Beach, British Columbia, 149 pp.

Deschênes, M. 2003. Fort Shepherd Townsend's Big-eared bat Project Geological Setting. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, BC Hydro and BC Ministry of Water, Land and Air Protection. 11 pp.

Fenton, M.B., R.M.R. Barclay, R.M. Brigham, D. Burles and D. Volkers, 2002. September day roosts of *Myotis keenii* and *Myotis lucifugus* in Gwaii Haanas Park Reserve/ Haida Heritage Site, British Columbia. Unpubl. rep. to Endangered Species Recovery Fund. 15 pp.

Fenton, M.B. and H.G. Merriam. 1981. Survey for bats in Kootenay, Glacier, and Mount Revelstoke National Parks. Unpublished report prepared for CWS, Edmonton. 19 pp.

Fenton, M.B., Merriam, H.G., and G.L. Holroyd. 1983. Bats of Kootenay, Glacier and Mount Revelstoke National Parks in Canada: identification by echolocation calls, distribution and biology. *Canadian Journal of Zoology* 61:2503-2508

Fenton, M.B., Tennant, D.C. and J. Wysecki. 1987. Using echolocation calls to measure the distribution of bats: the case of *Euderma maculatum*. *J. Mammal.* 68:142-144.

Fenton, M.B., van Zyll de Jong, C.G., Bell, G.P., Campbell, D.B., and M. LaPlante. 1980. Distribution, parturition dates and feeding of bats in south-central British Columbia. *Canadian Field-Naturalist* 94(4):416-420.

Fenton, M.B., Wai-Ping, V. and M.G. Stoneman. 1986. The status of spotted bats (*Euderma maculatum*) and pallid bats (*Antrozous pallidus*) in the Okanagan Valley, British Columbia. Prepared for the World Wildlife Fund Canada and the Nature Trust of British Columbia.

Firman, M.C. 1997. Conservation of the Saint Eugene Mission Townsend's big-eared bat (*Plecotus townsendii*) colony. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C.

British Columbia Bat Work*

- Firman, M.C. 1999. Townsends Big-eared bat (*Plecotus townsendii*) in the East Kootenays. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C. 35 pp.
- Firman, M. 2003. Update: Townsend's Big-eared Bat (*Plecotus townsendii*) in the East Kootenays. prepared for the Columbia Basin Fish and Wildlife Compensation Program. 35 pp.
- Firman, M.C. and M. Getty. 1993. Bat survey of the Skagit watershed. Report prepared for the Ministry of Environment, Lands and Parks, Victoria, B.C.
- Firman, M.C., Getty, M. and R.M.R. Barclay. 1993. Status of Keen's long-eared Myotis in British Columbia. Wildlife Working Report No. WR-59, Wildlife Branch, Ministry of Environment, Lands and Parks, Victoria, B.C.
- Firman, M.C., Godwin, C. and R.M.R. Barclay. 1995. Bat fauna of the West Shuswap and South Thompson River Region, British Columbia. Report prepared for the Ministry of Environment, Lands and Parks, Victoria, B.C.
- Fullard, J.H., M.B. Fenton, and C.L. Furlonger. 1983. Sensory relationships of moths and bats sampled from two Nearctic sites. *Can. J. Zool.* 61:1752-1757.
- Garcia, P.F.J. and R.M.R. Barclay. 1997. Standardized inventory methodologies for components of British Columbia's biodiversity: bats. Resource Inventory Committee, Victoria, B.C., 39 pp.
- Garcia, P.F.J., Rasheed, S.A. and S.L. Holroyd. 1995. Status of the western small-footed myotis in British Columbia. Wildlife Working Report No. WR-74. Wildlife Branch, B.C. Ministry of Environment, Lands and Parks. 14 pp.
- Garcia, P.F.J., Rasheed, S.A. and S.L. Holroyd. 1995. Status of the spotted bat in British Columbia. Wildlife Working Report No. WR-75. Wildlife Branch, B.C. Ministry of Environment, Lands and Parks. 15 pp.
- Grindal, Scott D. 1995. Impacts of forest harvesting on habitat use by foraging bats in southern British Columbia. M.Sc. thesis, University of Regina, Regina, SK. 113 pp.
- Grindal, S.D. 1996. Habitat use by bats in fragmented forests Pg. 260-272. in *Bats and Forest Symposium* (R.M.R. Barclay and R.M. Brigham eds.). Proceedings of First International Bat-Forest Interactions Symposium. Held at Victoria, B.C. 19- 21 October 1995. Research Branch, B.C. Min. For., Victoria, B.C. Work Pap. 23/1996. 292 pp
- Grindal, S.D. 1996. Impact of harvesting on habitat use by foraging bats. Nelson Forest Region Forest Sciences Research Summary. RS-028. Pp. 1-3.
- Grindal, S.D. 1996. Bat survey of B.C. Hydro's Falls River Generating Station. A report prepared by Axys Environmental Consulting Ltd. 38 pp.
- Grindal, S.D. 1996. Bat survey of B.C. Hydro's Ladore and Strathcona generating stations. A report prepared by Axys Environmental Consulting Ltd. 27 pp.
- Grindal, S. 1997. Habitat use by bats in the Nimpkish Valley, B.C., Annual Report. Unpublished report to CANFOR, Woss, B.C., 22 pp.
- Grindal, S.D. 1997. Upper Kootenay River bat survey. A report prepared by Axys Environmental Consulting Ltd., for the Columbia Basin Fish and Wildlife Program, Nelson, B.C. 60 pp.

- Grindal, S.D. 1998. Habitat use by bats in second- and old-growth stands in the Nimpkish Valley, Vancouver Island. *Northwest Science*. 72(2):116-118.
- Grindal, S.D. and R.M. Brigham. 1998. Effects of small scale habitat fragmentation on activity by insectivorous bats. *Journal of Wildlife Management* 62:996-1003.
- Grindal, S.D. and R.M. Brigham. 1999. Impacts of forest harvesting on habitat use by foraging insectivorous bats at different spatial scales. *Écoscience* 6:25-34.
- Grindal, S.D., T.S. Collard and R.M. Brigham. 1991. Evidence for a resident breeding population of pallid bats, (*Antrozous pallidus*) in British Columbia. *Contributions to Natural Science, Royal British Columbia Provincial Museum*. 14:1-4.
- Grindal, S.D., T.S. Collard, R.M. Brigham and R.M.R. Barclay. 1992. The influence of precipitation on reproduction by *Myotis* bats in British Columbia. *American Midland Naturalist* 128:339-344
- Grindal, S.D, J.L. Morissette and R.M. Brigham. 1999. Concentration of bat activity in riparian habitats over an elevational gradient. *Can. J. Zool.* 77: 972-979
- Grindal, S.D., Settingington, M.A. and C. Maundrell. 1997. The Rice Property biodiversity evaluation: Wildlife inventories. (Vol. 1). A report prepared by Axys Environmental Consulting Ltd. 111 pp.
- Grindal, S.D., M.J. Vonhof, R.M. Brigham and R.M.R. Barclay. 1994. Impacts of forest harvesting on the distribution, abundance, and foraging and roosting behaviour of bats in WADF, near Nelson, British Columbia. Unpublished report for the Canadian Forest Service, British Columbia Habitat Conservation Fund and BC Ministry of Forests.
- Grindal, S.D., Vonhof, M., Brigham, R.M., and R.M.R. Barclay. 1995. Impacts of forest harvesting on the distribution, abundance, foraging and roosting behaviour of bats in the West Arm Demonstration Forest (WADF) near Nelson, B.C. A report submitted to Forestry Canada and B.C. Ministry of Forests.
- Guiguet, C.J. 1959. Hoary bat. *Victoria Nat.* 15:89.
- Handler, R.J. and J. Psyllakis. 1997. Bat fauna survey of the Prince George Forest Region. Report prepared for the Ministry of Environment, Lands and Parks, Prince George, B.C. 39 pp.
- Haney, A., M.J. Sarell and J.B. Runciman. 2002. Revelstoke Community Forest Corporation, TFL 56 Northern Long-Eared Bat inventory 2000-2002. Prepared for FRBC and the Revelstoke Community Forest Corporation, in conjunction with Silvatech Consulting Ltd.
- Haney, A., M.J. Sarell, and C. Tolkamp. 2003. Wildlife suitability mapping for the Central Okanagan Sensitive Ecosystems Inventory. Prepared for the Regional District of Central Okanagan, Kelowna, BC.
- Hecker, K.R. and R.M. Brigham. 1999. Does moonlight change vertical stratification of activity by forest-dwelling insectivorous bats? *J. Mamm.* 80(4): 1196-1201.
- Herd, R.M. 1982. Bats in British Columbia. *B.C. Nat.* 20(3): 4-5.
- Herd, R.M. and M.B. Fenton. 1983. An electrophoretic, morphological and ecological investigation of a putative hybrid zone between *Myotis lucifugus* and *Myotis yumanensis* (Chiroptera: Vespertilionidae). *Canadian Journal of Zoology* 61:2029-2050.
- Hill, T., A. Reid, and R. Clarke. 2004. West Kootenay Townsend's Big-eared Bat Project Update. Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C. WCBWG Newsletter Issue No. 4, Spring 2004. www.wbwg.org

Hollister, N. 1912. Mammals of the Alpine Club expedition to the Mount Robson region. *Can. Alpine J. Spec. No.* 1-44.

Holroyd, S.L. 1993. Inventory and habitat assessment of bats in the Mica Wildlife Compensation Area: 1993 Summary Report. Prepared for BC Hydro, Vancouver, BC and BC Ministry of Environment, Lands and Parks. 96 pp.

Holroyd, S.L., Barclay, R.M.R., Merk, L.M. and Brigham, R.M. 1994. A survey of the bat fauna of the dry interior of British Columbia. Report prepared for the Ministry of Environment, Lands and Parks, Victoria, B.C., Wildlife Working Report No. WR-63, 73 pp.

Holroyd, S.L., and V.J. Craig. 2001. Townsend's big-eared bat inventory of Quadra, Cortes, Denman and Hornby Islands: progress report. Unpublished report for the Habitat Conservation Trust Fund.

Holroyd, S. L., V. J. Craig, and S. F. Wilson. 2001. Georgia Strait pipeline crossing: bat community and habitat assessment. Prepared for: TERA Environmental Consulting Limited, Calgary, AB.

Holroyd, S.L. 2005. Impacts of hydroelectric activities on bats and their habitats (part of the British Columbia and Alberta Bat Conservation Strategy). Prepared for the BC Ministry of Water, Land and Air Protection, Biodiversity Branch, Victoria, British Columbia. 102 pp.

Jobin, L. 1952. New winter records of bats in British Columbia. *Murrelet* 33:42.

Kellner, A.M.E. 1999. Activity and roost selection of bats in coastal montane forests on northern Vancouver Island. M.Sc. thesis, Simon Fraser University, Burnaby, British Columbia. 95 pp.

Kellner, A.M.E., C.P. Laroque, D.J. Smith, and A.S. Harestad. 2000. Chronological dating of high-elevation dead and dying trees on northern Vancouver Island, British Columbia. *Northwest Sci.* 74(3): 242-247.

Kellner, M. and S. Rasheed. 2001. British Columbia Hydro Bridge-Coastal Restoration Program Campbell River Watershed Bat habitat enhancement and inventory project. Year 1 Progress Report. Prepared for BC Hydro, Bridge-Coastal Fish and Wildlife Restoration Program, Burnaby, B.C.

Kellner, M. and S. Rasheed. 2002. Campbell River Bat Project: Inventory and habitat enhancement. Prepared for B.C. Hydro Bridge-Coastal Fish and Wildlife Restoration Program, Burnaby, BC. 63 pp.

Keystone Bio-Research. 1992. Mica Wildlife Compensation Program Strategic Plan. Second Draft. Prepared for B.C. Hydro, Vancouver, BC and B.C. Environment.

Kiser, M. and S.Kiser. 1999. Bat houses and exclusion in British Columbia. *Bat Research News* 7:3-4.

Laroque, C.P. and M. Kellner. 1999. Chronological dating of standing snags used by roosting bats, northern Vancouver Island. University of Victoria Tree-ring Laboratory, Report 99-02. Unpublished report.

Leonard, M., and M.B. Fenton. 1983. Habitat use by spotted bats (*Euderma maculatum*, Chiroptera: Vespertilionidae): roosting and foraging behaviour. *Canadian Journal of Zoology* 61:1487-1491.

Leonard, M. and M.B. Fenton. 1984. Echolocation calls of *Euderma maculatum* (Chiroptera: Vespertilionidae): use in orientation and communication. *J. Mammal.* 65:122-126.

Lunde, R.E. 1983. Activity and habitat use by the little brown bat *Myotis lucifugus*, in coastal forests. H.B.Sc. thesis, Simon Fraser University, Burnaby, B.C. 35 pp.

British Columbia Bat Work*

Lunde, R.E. and A.S. Harestad. 1986. Activity of little brown bats in coastal forests. Northwest Science 60(4): 206-209.

Luszcz, T. 2004. Community structure and habitat use of forest-dwelling bats in southwestern, British Columbia. M.Sc. thesis, University of Calgary, Calgary Alberta.

Maslin, T.P. 1938. Fringed-tailed bat in British Columbia. Journal of Mammalogy 19:373.

Mather, M.H., T.A. Chatwin, M. Davis, and A. Vanderberg. 2000. Bat usage of the Weymer Creek Cave Systems on Northern Vancouver Island. 2000. Report for the Habitat Conservation Trust Fund, File #99/01/25. B.C. Ministry of Environment, Lands and Parks, Nanaimo, B.C. 60 pages.

Maxwell, B., Harper, B., Lea, T. and C. Sinnemann. 1992. Cliff mapping and species capability ratings for the South Okanagan, British Columbia. B.C. Ministry of Environment, Lands and Parks, Wildlife Branch, Habitat Inventory Section, Victoria, B.C.

Milligan B.N. 1993. A range extension for the fringe-tailed bat, *Myotis thysanodes*, in British Columbia. Can. Field-Nat. 107:106-107.

Milligan B.N. 1993. Carrying of young by female Yuma bats (*Myotis yumanensis*). Northwest Naturalist 74:55-56.

Milligan, B.N. and R.M. Brigham. 1993. Sex ratio variation in the yuma bat (*Myotis yumanensis*). Canadian Journal of Zoology 71:937-40.

Nagorsen, D.W. ? The Mammals of British Columbia. 1. Bats. Royal British Columbia Museum Handbook, pp. 9-17.

Nagorsen, D.W. and R.M. Brigham. 1993. Bats of British Columbia. Royal British Columbia Museum Handbook. Vol.1. The Mammals of British Columbia. UBC Press, Vancouver. 164 pp.

Nagorsen, D.W., Bryant, A.A., Kerridge, D., Roberts, G., Roberts, A. and M.J. Sarell. 1993. Winter bat records for British Columbia. Northwest Naturalist 74(3): 61-66.

Osgood, W.H. 1901. Natural History of the Queen Charlotte Islands, British Columbia. North American Fauna No. 21. Pp. 1-50.

Psyllakis, Jennifer M. 2001. Bat roosting and foraging ecology in naturally disturbed habits. M.Sc. thesis, University of Regina, Regina, SK.

Psyllakis, J.M. and R.M. Brigham. *In press*. Characteristics of diurnal roosts used by female *Myotis* bats in sub-boreal forests. Forest. Ecology and Management.

Psyllakis, J.M. and T. Martin. 1996. Bat species of the Prince George Forest District: A survey of the sub-boreal spruce biogeoclimatic zone. Report prepared for the Ministry of Environment, Lands and Parks, Prince George. 19 pp.

Racey, K. 1933. Pacific pallid bat in British Columbia. Murrelet 14:18.

Rambaldini, D.A. 2003. Habitat use and roost selection by pallid bats (*Antrozous pallidus*) in the Okanagan Valley. Year 2 of 2. Progress report for the B.C. Habitat Conservation Trust Fund. Continuing Project File #8-218.

Rambaldini, D.A. and R.M. Brigham. 2004. Habitat use and roost selection by Pallid bats (*Antrozous pallidus*) in the Okanagan Valley, British Columbia. Final Report prepared for the British Columbia

British Columbia Bat Work*

Ministry of Land, Water and Air Protection, Osoyoos (Nk'Mip) Indian Band, World Wildlife Fund, Canadian Wildlife Service, Habitat Conservation Trust Fund, The Nature Trust of British Columbia, and Public Conservation Trust Fund. 65 pp.

Rambaldini, D.A. 2005. Protecting Threatened Pallid bats (*Antrozous pallidus*) in the Okanagan Valley, British Columbia. Unpublished report prepared for the Osoyoos (Nk'Mip) Indian Band. Oliver, B.C.

Rambaldini, D.A. 2005. Foraging activity of Pallid bats (Chiroptera: *Antrozous pallidus*) in native habitat and vineyards in British Columbia. Unpublished report prepared for the Osoyoos (Nk'Mip) Indian Band (Oliver, B.C.), British Columbia Ministry of Land, Water and Air Protection (Penticton), and Canadian Wildlife Service (Delta, B.C). 32 pp.

Rambaldini, D.A. 2005. The ecology of torpor use by Pallid bats (*Antrozous pallidus*) at the northern extreme of the species' range. Unpublished M.Sc. thesis. University of Regina. Regina, SK. 120 pp.

Rand, A.L. 1942. On some British Columbia bats. Murrelet 23:83-84.

Rasheed, S. 1997. Bat inventory for the Prosperity Project Area: final report. Madrone Consulting, Crofton, B.C. 19 pp.

Rasheed, S.A. and Holroyd, S.L. 1995. Roosting habitat assessment and inventory of bats in the Mica Compensation Area. Report prepared for BC Hydro and the Ministry of Environment, Lands and Parks, Nelson, B.C. 77 pp.

Rasheed, S.A., Garcia, P.F.J. and S.L. Holroyd. 1995. Status of the fringed myotis in British Columbia. Wildlife Working Report No. WR-73. Wildlife Branch, BC Ministry of Environment, Lands and Parks, 17 pp.

Rasheed, S.A., Garcia, P.F.J. and S.L. Holroyd. 1995. Status of Townsend's big-eared bat in British Columbia. Unpublished report for the Wildlife Branch, BC Ministry of Environment, Lands and Parks, 17 pp.

RISC (Resources Inventory Standards Committee). 1998. Inventory Methods for Bats. Standards for Components of British Columbia's Biodiversity No. 20. Version 2.0. Prepared by BC Ministry of Environment, Lands and Parks, Resources Inventory Branch for the Terrestrial Ecosystems Task Force, Resources Inventory Committee. Original version prepared by P.F.J. Garcia and R.M.R. Barclay. 58 pp.

Roberts, G. and A. Roberts. 1992. Grassland biodiversity in Chilcotin bunchgrass subzones and adjacent Douglas-fir subzone. Unpublished report for B.C. Environment and the BC Habitat Conservation Fund, Victoria, B.C.

Roberts, G. and A. Roberts. 1995. Bats in Douglas-fir forests of the Caribou Region. Ministry of Environment, Lands and Parks, Williams Lake, B.C.

Roberts, G. and A. Roberts. 1996. A preliminary survey of the bat fauna of the Quesnel Highland and adjacent area. Unpublished report for the B.C. Ministry of Environment, Lands and Parks, Williams Lake, B.C.

Roberts, G., Roberts, A., McKay, K., and A. Roberts. 1998. Bat inventory in the Skeena Region. Ministry of Environment, Lands and Parks, Smithers, B.C. 120 pp.

Saunders, L.G. 1966. Seen from a hospital window – bats. Victoria Nat. 23: 30-31.

Sarell, M.J. 1993. Wildlife and habitat of Okanagan Mountain Provincial Park. Prepared for Terrestrial Ecosystem Mapping by Larkspur Consultants, Victoria.

British Columbia Bat Work*

Sarell, M.J. 1994. Factsheet: Permanent bat gates for mines. Prepared for BC Environment, Penticton, BC.

Sarell, M.J. 1997. Maintaining bat colonies in buildings. Unpublished report. 2 pp.

Sarell, M.J. 2002. Species accounts for Identified Wildlife Management Strategy (Tiger Salamander, Spadefoot Toad, Spotted Bat, Fringed Myotis). Prepared for Ministry of Water, Land and Air Protection, Victoria, BC.

Sarell, M.J. 2003. IWMS Species account for the Pallid Bat (*Antrozous pallidus*). Prepared for the Identified Wildlife Management Strategy, Victoria, BC.

Sarell, M., J. Gwilliam, and T. Hill. 2003. Roosting behaviour of Townsend's Big-eared Bat (*Corynorhinus townsendii*) at Fort Shepherd in the West Kootenays, British Columbia. prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, BC.

Sarell, M.J. and A. Haney. 2000. South Okanagan rare bat inventory: spotted bat, pallid bat and western red bat. Prepared for B.C. Environment, Penticton, B.C. 61 pp.

Sarell, M.J. and A. Haney. 2000. Habitat use models for three bat species using Predictive Ecosystem Modelling in the Merritt Forest District. Prepared for Keystone Consulting and the Nicola Innovative Forestry Society, Merritt, BC.

Sarell, M.J., A. Haney, and S. Robertson. 1998. Inventory of Red and Blue-listed wildlife within the southern Boundary Forest District: Year two of two. Prepared for FRBC and BC Environment, Penticton, BC.

Sarell, M.J. and J. Luoma. 1994. Bats in British Columbia. Pamphlet prepared for BC Environment, the BC Habitat Conservation Trust Fund, The Nature Trust of BC and Bat Conservation International. 6 pp.

Sarell, M.J., Robertson, S. and A. Haney. 1997. Inventory of red and blue-listed wildlife within the Southern Boundary Forest District: amphibians, snakes, birds, bats and small mammals. Year one of two. Prepared for B.C. Environment, Penticton and Forest Renewal British Columbia.

Sarell, M.J., S. Robertson, and A. Haney. 1997. Gallagher Lake Flume Replacement Project - Environmental Assessment. Prepared for the Town of Oliver, Oliver, BC.

Sarell, M.J., Robertson, S. and L. Scott. 1996. Skaha Bluffs wildlife inventory: amphibians, snakes and bats. Prepared for the Habitat Conservation Trust Fund and BC Environment, Penticton.

Sarell, M.J. and D. Woodgate. 1991. Habitat reconnaissance and first observation of the spotted bat (*Euderma maculatum*) in the Thompson Region, B.C. Prepared for the Wildlife Branch, Ministry of Environment, Lands and Parks, Victoria, B.C. 11 pp.

Schaeffer, L., L. Datchkoff, S. Bennett, and M. Sarell. 2002. Biodiversity inventory within the ICHxw at Fort Shepherd. Final Report. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C.

Schieck, J. 1994. Relationships between the abundance of small mammals and patch size within fragmented forests on Vancouver Island. FRDA Research Memo, Integrated Research Management, No. 222, 6 pp.

Schwalter, D.B. 1980. New records of British Columbia bats. *Syesis* 13:1-3.

- Schowalter, D.B. and W.J. Dorward. 1978. Some western Canadian bat records. *Blue Jay* 36:49-50.
- Schowalter, D.B., Dorward, W.J. and J.R. Gunson. 1978. Seasonal occurrence of silver-haired bats (*Lasionycteris noctivagans*) in Alberta and British Columbia. *Canadian Field-Naturalist* 92:288-291.
- Silvatech Consulting Ltd., and Ophiuchus Consulting. 2001. Revelstoke Community Forest Corporation TFL 55/56 Presence/Not-detected bat inventory: 2000-2002. Annual Report – Year 1 of 2. Technical report prepared for the Revelstoke Community Forest Corporation, Revelstoke, B.C. Funded through Forest Renewal B.C. 40 pp.
- Smyth, M.S. 2000. A maternity colony of Townsend's big-eared bats, *Corynorhinus townsendii*. M.Sc. thesis, University of British Columbia, Vancouver, B.C. 102 pp.
- Stanwell-Fletcher, J.F. and T.C. Stanwell-Fletcher. 1943. Some account of the flora and fauna of the Driftwood Valley region of north-central British Columbia. *B.C. Prov. Mus. Occ. Pap. No. 4*: 97 pp.
- Swarth, H.S. 1936. Mammals of the Atlin region, northwestern British Columbia. *J. Mamm.* 17: 398-405.
- Swystun, M.B., J.M. Psyllakis, and R.M. Brigham. 2001. The influence of residual tree patch isolation on habitat use by bats in central British Columbia. *Acta Chiropterologica* 3:197-201
- Tatum, J.B. 1972. A silvery-haired bat in Esquimalt. *Victoria Nat.* 28: 52-53.
- Thacker, T.L. 1944. Winter occurrences of bats at Hope, B.C. *Murrelet* 25: 10.
- Vancouver Natural History Society. 1973. *Nature west coast*. Discovery Press, Vancouver, 283 pp.
- Van den Driessche, R., Mather, M. and T. Chatwin. 1999. Habitat selection by bats in temperate old-growth forests, Clayoquot Sound, British Columbia. Ministry of Environment, Lands and Parks, Nanaimo, B.C. 36 pp.
- Van den Driessche, R., Mather, M. and T. Chatwin. 2000. Habitat selection by bats in temperate old-growth forests, Clayoquot Sound, British Columbia. Pp. 313-320. **In:** L. M. Darling, editor. 2000. *Proceedings of a Conference on the Biology and Management of Species and Habitats at Risk*, Kamloops, B.C., 15 - 19 Feb., 1999. Volume One. B.C. Ministry of Environment, Lands and Parks, Victoria, B.C. and University College of the Cariboo, Kamloops, B.C. 490pp.
- Van Zyll de Jong, C.G. 1979. Distribution and systemic relationships of long-eared *Myotis* in western Canada. *Canadian Journal of Zoology* 57:987-994.
- Van Zyll de Jong, C.G. 1985. *Handbook of Canadian Mammals*. 2. Bats. Publication of the national Museum of Natural Sciences, National Museum of Canada. 212 pp.
- Van Zyll de Jong, C.G., D.C. Campbell, and W.J. Merilees. 1975. A new distribution record for the California *Myotis* (*Myotis californicus*) in British Columbia. *Can. Field-Nat.* 89: 322-323.
- Van Zyll de Jong, C.G., Fenton, M.B. and J.G. Woods. 1980. Occurrences of *Myotis californicus* at Revelstoke and a second record of *Myotis septentrionalis* from British Columbia. *Canadian Field-Naturalist* 94:455-456.
- Van Zyll de Jong, C.G. and D.W. Nagorsen. 1994. A review of the distribution and taxonomy of *Myotis keenii* and *Myotis evotis* in British Columbia and the adjacent United States. *Canadian Journal of Zoology* 72:1069-1078.

British Columbia Bat Work*

Vonhof, M. J. 1993. Roosting ecology of bats in the west arm demonstration forest near Nelson, B. C. and the potential effects of forest harvesting practices. *Bat Research News* 34(4): 134.

Vonhof, M.J. 1995. Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. M.Sc. Thesis, University of Calgary, Calgary, Alberta, 101 pp.

Vonhof, M.J. 1995. Roosting ecology of bats in the West Arm Demonstration Forest. Nelson Forest Region Forest Sciences Research Summary. RS-027. Pp. 1-4.

Vonhof, M.J. 1996. A comparison of the roost-site preferences of big brown bats (*Eptesicus fuscus*) and silver-haired bats (*Lasionycteris noctivagans*) in the Pend d'Oreille Valley in southern British Columbia. Pp. 62-80. **In:** Barclay, R.M.R. and R.M. Brigham (eds.). *Bats and Forests Symposium*. October 19-21, Victoria, B.C.

Vonhof, M.J. 1996. A survey of abundance, diversity, and roost-site preferences of bats in the Pend d'Oreille Valley, British Columbia. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C., 70 pp.

Vonhof, M.J. 1997. A survey of abundance, diversity, and roost-site preferences of bats in the Pend d'Oreille Valley, British Columbia. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C., 78 pp.

Vonhof, M.J. 1999. Roosting habitat requirements and population genetics of silver-haired and big brown bats. Report prepared for the Forest Renewal B.C. Research Program, Burnaby, B.C., and the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C., 73 pp.

Vonhof, M.J. and R.M.R. Barclay. 1996. Bats and trees. B.C. Ministry of Forests, Nelson, B.C. Research Summary RS-027. 4 pp.

Vonhof, M.J. and R.M.R. Barclay. 1996. Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. *Can. J. Zool.* 74: 1797-1805.

Vonhof, M.J. and R.M.R. Barclay. 1997. Use of tree stumps as roosts by the western long-eared bat. *Journal of Wildlife Management.* 61:674-684.

Vonhof, M.J., Davis, C.S., Fenton, M.B. and C. Strobeck. 2002. Characterization of dinucleotide microsatellite loci in big brown bats (*Eptesicus fuscus*) and their use in other North American vespertilionid bats. *Molecular Ecology Notes* 2(2): 167-169.

Vonhof, M.J. and J.C. Gwilliam. 1999. Survey of the roost-site preferences of California, western long-eared, and long-legged bats in the Pend d'Oreille Valley. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C. 46 pp.

Vonhof, M.J. and J.C. Gwilliam. 1999. The diversity and abundance of bats in the Pend d'Oreille Valley in southern British Columbia. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C.

Vonhof, M.J. and J.C. Gwilliam. 1999. A summary of bat research in the Pend d'Oreille Valley in southern British Columbia. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C.

Vonhof, M.J. and J.C. Gwilliam. 2000. A summary of bat research in the Pend d'Oreille Valley in southern British Columbia. Report prepared for the Columbia Basin Fish and Wildlife Compensation Program, Nelson, B.C. 105 pp.

British Columbia Bat Work*

Vonhof, M.J., McNalley, S. and A. Yu. 1997. Roosting habitat requirements of northern long-eared bats (*Myotis septentrionalis*) in northeastern British Columbia: the Fort Nelson River and Highway 77 area. Report prepared for the BC Ministry of Environment, Lands and Parks, Fort St. John, B.C., 66pp.

Vonhof, M.J. and L.C. Wilkinson. 1999. Roosting habitat requirements of the northern long-eared bat (*Myotis septentrionalis*) in the boreal mixedwood forest of northeastern British Columbia: year 2. Report prepared for the BC Ministry of Environment, Lands and Parks, Victoria, B.C., 87 pp.

Wai-Ping, V. and M.B. Fenton. 1989. Ecology of the spotted bat (*Euderma maculatum*) roosting and foraging behaviour. *Journal of Mammalogy* 70:617-622.

Warman, L., S. Robertson, A. Haney and M. Sarell. 1998. Habitat Capability and Suitability Models for 34 Wildlife Species Using Terrestrial Ecosystem Mapping (1:20,000) in the South Okanagan and Lower Similkameen Study Area and Forest Cover Mapping (1:20,000) in the Penticton Forest District. Ministry of Environment, Lands and Parks working report. Penticton. 68 pg

Webster, W.A. and G.A. Casey. 1973. Studies on the parasites of Chiroptera. III. Helminths from various bat species collected in British Columbia. *Can. J. Zool.* 59: 525-529.

Wilkinson, L.C., Garcia, P.F.J. and Barclay, R.M.R. 1995. Bat survey of the Liard River watershed in northern British Columbia. Ministry of Environment, Lands and Parks, Victoria, B.C. 39 pp.

Wilson, J. 2004. Foraging behaviour of insectivorous bats during an outbreak of western spruce budworm, MSc. Thesis, University of Calgary, Calgary, AB.

WLAP. 1997. Regionally Important Wildlife List. (June 1997). 2 pp.
<http://wlapwww.gov.bc.ca/vir/wildweb/regimplist.htm>

WLAP. 2004a. Identified Wildlife Management Strategy. Accounts and Measures for Managing Identified Wildlife. Introduction V. 10 pp. <http://wlapwww.gov.bc.ca/wld/identified/iwms2004.html>

WLAP. 2004b. Keen's long-eared Myotis, *Myotis keenii*. Accounts and Measures for Managing Identified Wildlife. Accounts V. Prepared by T. Chatwin, P. Garcia and S. Rasheed. 7 pp.
http://wlapwww.gov.bc.ca/wld/identified/documents/Mammals/m_keensmyotis.pdf

WLAP. 2004c. Spotted bat, *Euderma maculatum*. Accounts and Measures for Managing Identified Wildlife. Accounts V. Prepared by M. Sarell and S. Rasheed. 7 pp.
http://wlapwww.gov.bc.ca/wld/identified/documents/Mammals/m_spottedbat.pdf

WLAP. 2004d. Fringed Myotis, *Myotis thysanodes*. Accounts and Measures for Managing Identified Wildlife. Accounts V. Prepared by M. Sarell and S. Rasheed. 7 pp.
http://wlapwww.gov.bc.ca/wld/identified/documents/Mammals/m_fringedmyotis.pdf

Wong, K.K.Y and M.B. Fenton. 1982. On time allocation among patches of prey by *Euderma maculatum*. *Bat Research News* November: 82.

Woodsworth, G.C. 1981. Spatial partitioning by two species of sympatric bats, *Myotis californicus* and *Myotis leibii*. M.Sc. thesis. Carleton University, Ottawa, Ontario.

Woodsworth, G.C., Bell, G.P. and M.B. Fenton. 1981. Observations of the echolocation, feeding behaviour, and habitat use of *Euderma maculatum* (Chiroptera: Vespertilionidae) in southcentral British Columbia. *Canadian Journal of Zoology* 59:1099-1102.

*Compilation of this bibliography has included the efforts of Dr. Maarten Vonhof, U. Michigan, Kalamazoo, Krista Patriquin, Cori Lausen and Carol Stefan.